

Door Systems Catalog

HEALTHCARE | OFFICE | HOSPITALITY | SPECIALTY

A MODERN SPACE-SAVING SOLUTION

Changing the Way **You See Doors**

Serenity provides expertly designed sliding door systems for commercial projects nationwide.

We combine industry-leading customer service with complete solutions you can count on. Whether you want to control noise, manage access, or design a custom system, we have endless configurations to meet your vision and project needs.



SELECT FROM A VARIETY OF











Open Types Finishes Functions Handles Hardware



Soft Closing Damper

Slam-resistant Hardware Delivers a Smooth Stop

Serenity Sound Seals Both Sides of Frame

> **Concealed Floor Guide** Secures Door for Smooth & Easy Operation

Back to Back Ladder Pulls Attractive & Modern ADA Pulls For Ease of Use

> To view additional options for customization, please visit pages 16-19.


Maximize Your Space

With Sliding Doors

Serenity's systems can save you more than 30 square feet at every opening when compared to a traditional swing door.


Sliding door systems maximize your room's usable space, reclaiming the room needed to open a swing door and making it easier for everyone to navigate the space. With no swing door to maneuver around, openings are left free and clear for a wider access point and streamlined path of travel. Serenity's systems do not require a threshold and can help attain ADA compliance.





10' x 10' Sliding Door

100 Square Feet



10' x 16' Swing Door

160 Square Feet

\$515+ Per Sf Average US Cost For Medical Construction \$10,000+ Saved Per Exam Room

Complete Systems

For Easy Installation

Serenity systems arrive as a complete package including the frame, door, and all required hardware — streamlining the process from shop to site and simplifying installation. Tracks are preinstalled in-house with the soft-close assembly, minimizing time, headaches, and lost parts. With fewer parts to assemble, Serenity's systems offer improved project delivery time and fewer headaches during on-site coordination.



Pre-installed Tracks

Assembled in-house to accelerate build speed, decrease labor costs, and reduce construction defects



Space-Saving

Mounted flush to the wall, these systems provide easy access and maximize your space



Sound Seals

Acoustic doors, integral gasketing, and specialized hardware provide privacy and reduce noise



Soft-Closing

Heavy-duty closing hardware brings your sliding door to a smooth and controlled stop



Lockable

Secure your space with a variety of locks, including deadlocks, mortise locks, magnetic locks, and beyond



Customizable

Sliding door solutions to meet your exact specifications for appearance and functionality

Quick Quotes

& Industry-Leading Service

With quick quotes and complete submittals, we always make you the priority. Quote requests are typically fulfilled within twenty-four hours and submittals within three days.

How do I get a quote?


- Download Bid Request Form Online
- Complete the Excel Form
- Email to Info@SerenitySlidingDoor.com











Tried & Tested

Extrusions & Hardware

Serenity's sliding door systems are constructed using U.S.A. made extruded aluminum parts and German-engineered hardware. Through cycle testing, we ensure our systems are designed to withstand commercial use. Not only are they built to last, but we also offer optional NIC 40, STC 35, or UL1784 ratings.



Featured In These Facilities

EvergreenHealth
The US Army
Boulder Community Health
Stanford Health
Providence Saint John Health
Intermountain Health

UC Health
Cedars-Sinai Medical Center
University of Rochester
Dignity Health
Kaiser Permanente
Westin Hotels

St. Luke's Medical Methodist Healthcare VA Facilities Molson Coors Aurora Health Marriott Hotels

Get to Know the Serenity Systems



Healthcare

Sliding Door Systems Designed with Healthcare in Mind

MedSlide (Pg 6)

Sealed for sight and sound with an optional sloped valance, this surface-mount system is ideal for exam rooms, patients, and staff. MedLift Slide (Pg 7)

Featuring an opening in the track to accommodate a patient lift, this system is ideal for accessible healthcare spaces. PowerSlide (Pg 8)

Equipped with an electric operator, this system opens automatically with any standard access control hardware.

Office

Soft-Closing Acoustic Door Systems and Smoke Rated Systems for Various Applications

SmokeSlide (Pg 9)

Certified UL1784, this system provides facility-wide protection while self-closing and self-latching.

SurfaceView Slide (Pg 10)

Space-saving with sound seals, this system provides an attractive and functional solution for office spaces.

EvenView Slide (Pg 11)

Featuring a variety of glazing options, this flush-mount system supports natural lighting with a modern acoustic solution.

Specialty

Secure and Multi-Door Solutions for Room Dividers, Closets, and Large Openings

SecureSlide (Pg 12)

Equipped with a spring close and self-latching lock, this system closes and locks behind the user for ultimate security. SyncSlide (Pg 13)

Ideal for conference rooms, this system uses a hidden belt to open and close both doors simultaneously. TeleSlide (Pg 14)

Opening by sliding one door in front of the other, this multi-door system is perfect for larger openings and tight spaces.

Hospitality

Quiet, Smooth, and Lockable

InnSlide (Pg 15)

Soft-closing and customizable, this system is a sturdy and easyto-use commercial solution for hospitality spaces.



For Your Project Needs

Whether you require a sound rating, a specific lock function, or a unique look - we can customize our systems to your project's needs. Our systems are all available in a variety of finishes with nearly any locking hardware.

Healthcare

— IDEAL FOR EXAM ROOMS

MedSlide

Sealed for sight and sound with an optional sloped valance, this surface-mount system is ideal for exam rooms, patients, and staff.



Saves Space



Ensures Patient Privacy



Secures with Locking Hardware





Perfect for Patients

More Efficient for Staff

The MedSlide provides both privacy for patients and ease of use for staff. With a wider access point and no swing door to maneuver around, pathways are left free and clear for busy staff members. Through a concealed floor guide and no threshold, rolling carts and equipment enter with a breeze. This system is an excellent solution for a variety of healthcare applications.

STANDARD FEATURES

- Surface-mounted
- Sound Seals
- Soft Close / Soft Open
- Concealed Floor Guide

APPLICATIONS

- Exam Rooms
- Clinics
- Patient Restrooms
- Medical Office Buildings

OPTIONAL FEATURES

- UL1784 Smoke Rating available
- Key/Privacy Lockable for a variety of hardware solutions
- Sloped or Return Valance for easier cleaning
- Spring Close for self-closing systems ideal for privacy or security
- Electric Operator for hands-free operation
- Antimicrobial Surface Treatment available



For an **STC 35 rating**, ask about the MedSlide Pro - Serenity's sound-sealed system for acoustic healthcare projects.



Featuring an opening in the track to accommodate a patient lift, this system is ideal for accessible healthcare spaces.



Increases Patient Accessibility



Reduces Risk of Injury to Staff



Helps to Achieve ADA Compliance





Recognized at the Nightingale Awards as one of the best new products for the healthcare-built environment.

Improve Accessibility

& Reduce Injuries

With the MedLift Slide, staff efficiency and patient comfort are vastly improved. This space-saving solution allows patients with limited mobility to be transported by lift, reducing risk to both patients and caregivers. Its small footprint, excellent user experience, and improved accessibility show that there's no better solution for patient care.

STANDARD FEATURES

- Surface-mounted
- Sound Seals
- Soft Close Only
- Concealed Floor Guide
- Track Width Up to 6"

APPLICATIONS

- Patient Restrooms
- Exam Rooms
- Clinics
- Medical Office Buildings
- Residential Care

- Key/Privacy Lockable for a variety of hardware solutions
- Antimicrobial Surface Treatment available
- Add an Automatic Door Bottom for additional acoustic control
- Sloped or Return Valance for easier cleaning
- Available with Privacy Indicator



REDUCE TOUCHPOINTS

PowerSlide

Equipped with an electric operator, this system opens automatically with any standard access control hardware, including keypads, card readers, and more.



Improves Facility Safety



Increases Ease of Use



Saves Valuable Square Footage



Protect Your Space

From Unwanted Germs

With the PowerSlide, you can choose from a variety of access control solutions to both improve ease of use and facility safety. From a simple push button to an overhead sensor or swipe key - there is an option for all security levels. The electric operator is UL 325 listed and meets all requirements of ANSI for low-energy sliding door systems.

(Access control accessories by others)

STANDARD FEATURES

- Electric Operator
- Surface-mounted
- Sound Seals
- Concealed Floor Guide

APPLICATIONS

- Exam Rooms
- Clinics
- Medical Office Buildings
- Labs
- Hospitals

- Integrates with a variety of access control solutions
- Antimicrobial Surface Treatment available
- Retrofits to existing openings
- Battery back-up
- Power Assist ; Push-N-Go Open Feature Available
- Add an Automatic Door Bottom for additional acoustic control





— PROTECT YOUR FACILITY

SmokeSlide

Certified UL1784, this system provides protection while self-closing and self-latching.



Controls Smoke Movement



Creates a Safety Barrier



Provides Secure Storage



Provide Protection

With a Secure Solution

This smoke-rated system utilizes specialized hardware to ensure against smoke and draft risks. Featuring a spring close and self-latching lock, the SmokeSlide automatically closes and locks behind the user. With the addition of an automatic drop seal, the SmokeSlide provides the ultimate security.

STANDARD FEATURES

- Sound Seals
- Soft Close Only
- Concealed Floor Guide
- Auto-Latch Mortise Lock
- Spring Close

APPLICATIONS

- Pharmacies
- Labs
- Clinics
- Medical Office Buildings
- Government Buildings

- Optional Electric Lock that functions as system fail-safe
- Key/Privacy Lockable for a variety of hardware solutions
- Sloped or Return Valance for easier cleaning
- Antimicrobial Surface Treatment available
- Label Available for UL1784 Smoke Rating (Smoke and Draft Control, Door and Frame Assembly)



- FOR A MODERN LOOK

SurfaceView Slide

Space-saving with sound seals, this surface-mount system provides an attractive and functional solution for office spaces.



Manages Soundscape



Elevates your Space



Maximizes Square Footage





With a Sound Control Solution

Attractive and easy to use, the SurfaceView Slide is the perfect solution for office spaces. With soft-closing hardware and sound seals, this system helps maintain a low sound level for employees during calls and meetings. Available with a variety of finishes and locking hardware, the SurfaceView can be configured for almost any aesthetic style and security level.

STANDARD FEATURES

- Surface-mounted
- Sound Seals
- Soft Close / Soft Open
- Concealed Floor Guide
- Sidelites

APPLICATIONS

- Business Offices
- Education
- Government Buildings
- Salons

- Key/Privacy Lockable for a variety of hardware solutions
- Sloped or Return Valance for easier cleaning
- Spring Close for self-closing systems ideal for privacy or security
- Electric Operator for hands-free operation
- Antimicrobial Surface Treatment available
- Add an Automatic Door Bottom for additional acoustic control
- Available with Transom



- ATTRACTIVE & OPEN

EvenView Slide

Featuring a variety of glazing options, this flush-mount system supports natural lighting with a modern acoustic solution.



Elevates your Space



Maximizes Square Footage



Invites in Natural Light



Let the Light In

Improve Employee Wellbeing

Great for open-space concepts, the EvenView Slide mounts flush to the wall for a seamless look. Several glazing options are offered to carry light throughout the space. With its ease of use and sound control, the EvenView is the ideal solution for modern offices.

STANDARD FEATURES

- Flush-mounted
- Sound Seals
- Soft Close / Soft Open
- Concealed Floor Guide
- Sidelites

APPLICATIONS

- Business Offices
- Education
- Government Buildings
- Salons

- Key/Privacy Lockable for a variety of hardware solutions
- Antimicrobial Surface Treatment available
- Add an Automatic Door Bottom for additional acoustic control
- Available with Transom



Specialty

— SECURE YOUR SPACE

SecureSlide

Equipped with a spring close and self-latching lock, this system closes and locks behind the user for ultimate security.

♥ F

Protects Private Spaces



Promotes Ease of Use



Withstands Heavy Commercial Use



Control Access

& Secure Private Areas

Designed to easily secure spaces, the SecureSlide features a spring close and self-latching lock to automatically close and lock behind the user. Tested to one million cycles, our spring close is built to last. Equipped with a concealed floor guide, the SecureSlide operates like a dream.

(Access control accessories by others)

STANDARD FEATURES

- Sound Seals
- Soft Close Only
- Concealed Floor Guide
- Spring Close
- Magnetic Lock

APPLICATIONS

- Pharmacies
- Labs
- Clinics
- Medical Office Buildings
- Government Buildings

- Electronic Locks available with fail-safe or fail-secure
- Key/Privacy Lockable for a variety of hardware solutions
- Sloped or Return Valance for easier cleaning or ADA compliance
- Antimicrobial Surface Treatment available
- Add an Automatic Door Bottom for additional acoustic control
- Electric Operator for hands-free operation







Ideal for conference rooms, this system uses a hidden belt to open and close both doors simultaneously.

SOLVE LARGE OPENINGS



Maximizes Square Footage



Solves Larger Openings



Elevates Space



A Sophisticated Solution

That Opens with One Pull

Perfect for rooms with larger openings, the SyncSlide is equipped with bi-part doors that can open or close simultaneously. This keeps the doors in the same position, either open or closed. Pair the SyncSlide with optional locking, sidelites, or transoms for your ideal solution.

STANDARD FEATURES

- Surface-mounted
- Sound Seals
- Soft Close
- Concealed Floor Guide
- Simultaneous Movement

APPLICATIONS

- Conference Rooms
- Media Room
- Bedroom Suite
- Business Offices
- Meeting Spaces

- Add an Automatic Door Bottom for additional acoustic control
- Key/Privacy Lockable for a variety of hardware solutions
- Antimicrobial Surface Treatment available
- Variety of pulls available
- Available for openings up to 7 feet wide



CUSTOMIZE SMALL SPACES

TeleSlide

Opening by sliding one door in front of the other, this multi-door system is perfect for larger openings and tight spaces.



Creates Custom Barrier



Maximizes Functionality



Divides Larger Spaces



Solve Larger Openings

Without Sacrificing Space

As the TeleSlide opens by sliding one door in front of the other, it is an ideal solution for small spaces. While it can expand or contract based on your needs, it's great for providing flexibility for your facility. Equipped with a soft close, these systems are quiet and easy to operate. For those looking to secure a space, locking options are available.

STANDARD FEATURES

- Header-Mounted
- Sound Seals
- Soft Close
- No Floor Track

APPLICATIONS

- Room Divider
- Closet
- Breakfast Nook
- Storage
- Interior Office

- Tracks up to 12 feet long, to meet openings up to 9 feet wide
- Select from a variety of finishes for your frame and door slab
- Antimicrobial Surface Treatment available
- Variety of Flush Pulls available
- Synchronized Option available



Hospitality

— HIGH-QUALITY & MODERN

InnSlide

Soft-closing and customizable, this system is a sturdy and easy-to-use commercial solution for hospitality spaces.



Provides Privacy for Guests



Modernizes Your Facility



Durable for Commercial Use



Modernize Your Space

& Elevate User Experience

Add a touch of luxury to your space with the InnSlide. Designed for hospitality interiors, this system is attractive, easy to operate, and sound attenuated. With thoughtful features, the InnSlide creates an environment of comfort and privacy for guests.

STANDARD FEATURES

- Surface-mounted
- Sound Seals
- Concealed Floor Guide

APPLICATIONS

- Hotels
- Resorts
- Residential Care
- Lobbies
- Meeting Spaces

- Key/Privacy Lockable for a variety of hardware solutions
- Sloped or Return Valance for easier cleaning
- Spring Close for self-closing systems ideal for privacy
- Antimicrobial Surface Treatment available
- Available with Soft Close or Soft Open for slam resistance



- TAILORED TO YOUR NEEDS


Customizations


We offer a variety of selections to meet your facility needs. Choose from our options below to pair the perfect system with your project.




Door Slab Options

WOOD VENEER	PLASTIC LAMII	NATE	ALUMINUM STILE & RAIL				
Thin layers of wood applied to base for real-wood appearance, structural composite lumber core (SCLC)	Reinforced layers material held toge composite lumbe		Horizontal rails and vertical stiles with panels in between, hollow core				
Finishes: Stain, Paint Grade, Unfinished	Finishes: Per Manufacturer	Laminate Selection	Finishes: Clear Anodized, Black Anodized, Powder Coat				
PRIMED HARDBOARD		PRIMED HOLLOW METAL					
High-density fiberboard (HDF) faces print paint-ready finish, structural composite l		Reinforced steel sheets filled with insulation materials					
Finishes: Paint Grade		Finishes: Paint Grade					







Frame Finishes

- Clear Anodized
- Powder Coat
- Black Anodized

Custom Solutions

Don't see what you're looking for? We're happy to work with you. We can even match to your swing door package! Contact our team for more information.








Mounting

Surface-mount systems are attached to the cased opening. Flush-mount systems are installed within the profile of the wall for a sleek, modern look.








Valances

While the standard design works well for most applications, Serenity also offers the slope valance for easier cleaning, and the return valance for a seamless finish.






Closing Hardware

The soft close is used to bring the door to a smooth, quiet, and controlled stop when closing.

The spring close uses a self-closing mechanism to automatically pull the door to a closed position.



Electric Operator

An electric operator is a low energy self-tensioning pulley and belt system used to open the door automatically. It is fully programmable and compatible with a variety of access control hardware.







Glazing Kits

Systems are available with door lite inserts, sidelites, and transoms. Factory glazed 1/4" clear tempered glass is provided for standard lite sizes. Custom lite sizes are available with specialty glass.



Antimicrobial

Available for frame, track, hardware, and certain door options - this treatment uses custom additives and specialty metals to protect against germs.

Hardware

Serenity provides a variety of hardware to meet your design, sound, and security requirements. Customize your system to the needs of your facility from the options below.





Handle Options

The standard back-to-back ladder pull is available in two finishes and lengths of 12" and 16".


Serenity also has twelve different lever designs, available with square or round roses in six finishes.








^{*}Additional lever options available by request.



^{*}Not all finishes may be available for every lever.


Handing Chart




Lock Options











Door Bottom Options

The standard floor guide keeps the door slab in the proper position.

The automatic door bottom is fully mortised and drops automatically when the door is closed.





^{*}Additional lock options available by request.

Architectural Resources

View Resources Online

Serenity provides a variety of resources to ensure your project's success. From product literature and downloads, to technical specifications and more – find all the info you need for your project online.



Visit Our Downloads

To Plan Your Project

Find helpful information including:

- Product Literature
- Cutsheets
- Specifications
- CAD/REVIT Files
- Sizing Details
- Installation & Maintenance

System Ratings

& Cycle Tests

Serenity's systems are available with:

- NIC 40 Rating
- STC 35 Rating
- UL1784 Smoke Rating
- Soft Close cycle tested over 100,000+ cycles





Continuing Education

Virtual & In-person

Sliding Doors Beyond the Barn

At Serenity, sliding doors are what we do. Our CE course is open to anyone looking to learn or advance their career. As sliding doors are one of the fastest growing industries, this course is perfect for learning about the components, functionality, installation, and applications of these systems. Provides 1 HSW.

Request a Course

Our Programs



Serenity Complete

Through stocking various solutions, this program offers complete sliding door systems with faster lead times and custom options for your project.



Reduced Lead Times



Complete Solutions



Variety of Options



Serenity Assurance Plan

S.A.P. is designed to ensure your systems performance with 5 steps and start-to-finish support. This program is free for projects larger than 100 openings.



(V) Install Training



Product Support



O Dedicated Consultant

READY TO GET STARTED?

Contact Us Today

Reach out below to get in touch with our team. We are happy to answer any questions, or prepare a quote for your project.



www.SerenitySlidingDoor.com



Info@SerenitySlidingDoor.com



719.212.6007

Find a Sales Rep



Serenity's systems are customizable in form, function, System Index and finish. Use the chart below to determine what options are compatible with each system.

Key S = Standard O = Optional N/A = Not Available

	Transom /Sidelite	Electric Operator	Cased Opening Frame	Standard Valance	Slope Valance	Return Valance	Soft Close	Spring Close	Door Slab	Rec. Channel	Auto Door Bottom	Clear Anodize Finish	Black Anodize Finish	Powder Coat	Antimi- crobial	Ul1784 Smoke Rating
	Pg 17	Pg 17	N/A	Pg 17	Pg 17	Pg 17	Pg 17	Pg 17	Pg 16	N/A	Pg 19	Pg 16	Pg 16	Pg 16	Pg 17	N/A
MEDSLIDE Standard Surface-mount	N/A	0	S	S	0	0	S	0	S	S	0	S	0	0	0	0
MEDLIFT SLIDE Integrates Patient Lift Through Track	N/A	N/A	S	S	0	0	S	N/A	S	S	0	S	0	0	0	N/A
POWERSLIDE Electric Operator	N/A	S	S	S	N/A	N/A	0	N/A	S	S	0	S	0	0	0	N/A
SURFACEVIEW Surface-mount w/ transoms or sidelites	0	0	S	S	N/A	N/A	S	0	S	S	0	S	0	0	0	N/A
EVENVIEW Flush-mount w/ transoms or sidelites	0	N/A	S	S	N/A	N/A	S	N/A	S	S	0	S	0	0	0	N/A
SMOKESLIDE Surface-mount w/ UL1784 Rating	0	0	S	S	0	0	S	S	S	S	S	S	0	0	0	S
INNSLIDE Hospitality Slider w/ Custom Finishes	N/A	N/A	0	S	N/A	N/A	0	N/A	0	0	N/A	N/A	0	O (50+)	0	N/A
SECURESLIDE Auto Closing w/ Auto-Latch	N/A	0	S	S	0	0	Soft Close (opt. hold- open)	S	S	S	0	S	0	0	0	N/A
SYNCSLIDE Synchronized Bi-parting	0	0	S	S	0	0	S	N/A	S	N/A	0	S	0	0	0	N/A
TELESLIDE Telescoping 3 & 4 panel w/ Sync Opt.	N/A	0	0	S	N/A	N/A	0	N/A	S	0	N/A	S	0	0	0	N/A

