

When using these charts to construct your rough openings, verify that your clear opening and slab size match the approved submittal package.

It is the contractor's responsibility to match and verify that the rough opening sizes are correct according to the approved submittals.

Studs in the opening need to be inverted, and all sheetrock must be cut flush. Wall thickness must be what is called for on the plans, without buildup at the headers.

Clear Open Width	Door Slab Width	Finished Frame Width	Track Width	Rough Opening Width
26	34	31	63	32 1/2
26 1/2	34 1/2	31 1/2	64	33
27	35	32	65	33 1/2
27 1/2	35 1/2	32 1/2	66	34
28	36	33	67	34 1/2
28 1/2	36 1/2	33 1/2	68	35
29	37	34	69	35 1/2
29 1/2	37 1/2	34 1/2	70	36
30	38	35	71	36 1/2
30 1/2	38 1/2	35 1/2	72	37
31	39	36	73	37 1/2
31 1/2	39 1/2	36 1/2	74	38
32	40	37	75	38 1/2
32 1/2	40 1/2	37 1/2	76	39
33	41	38	77	39 1/2
33 1/2	41 1/2	38 1/2	78	40
34	42	39	79	40 1/2
34 1/2	42 1/2	39 1/2	80	41
35	43	40	81	41 1/2
35 1/2	43 1/2	40 1/2	82	42
36	44	41	83	42 1/2
36 1/2	44 1/2	41 1/2	84	43
37	45	42	85	43 1/2
37 1/2	45 1/2	42 1/2	86	44
38	46	43	87	44 1/2
38 1/2	46 1/2	43 1/2	88	45
39	47	44	89	45 1/2
39 1/2	47 1/2	44 1/2	90	46
40	48	45	91	46 1/2
40 1/2	48 1/2	45 1/2	92	47
41	49	46	93	47 1/2
41 1/2	49 1/2	46 1/2	94	48
42	50	47	95	48 1/2
42 1/2	50 1/2	47 1/2	96	49
43	51	48	97	49 1/2
43 1/2	51 1/2	48 1/2	98	50
44	52	49	99	50 1/2
44 1/2	52 1/2	49 1/2	100	51
45	53	50	101	51 1/2
45 1/2	53 1/2	50 1/2	102	52
46	54	51	103	52 1/2
46 1/2	54 1/2	51 1/2	104	53
47	55	52	105	53 1/2
47 1/2	55 1/2	52 1/2	106	54
48	56	53	107	54 1/2
48 1/2	56 1/2	53 1/2	108	55
49	57	54	109	55 1/2
49 1/2	57 1/2	54 1/2	110	56
50	58	55	111	56 1/2
50 1/2	58 1/2	55 1/2	112	57
51	59	56	113	57 1/2
51 1/2	59 1/2	56 1/2	114	58
52	60	57	115	58 1/2

Clear open Height	Door Slab Height	Finished Frame Height	Rough Opening Height
80	80	80	81
80 1/2	80 1/2	80 1/2	81 1/2
81	81	81	82
81 1/2	81 1/2	81 1/2	82 1/2
82	82	82	83
82 1/2	82 1/2	82 1/2	83 1/2
83	83	83	84
83 1/2	83 1/2	83 1/2	84 1/2
84	84	84	85
84 1/2	84 1/2	84 1/2	85 1/2
85	85	85	86
85 1/2	85 1/2	85 1/2	86 1/2
86	86	86	87
86 1/2	86 1/2	86 1/2	87 1/2
87	87	87	88
87 1/2	87 1/2	87 1/2	88 1/2
88	88	88	89
88 1/2	88 1/2	88 1/2	89 1/2
89	89	89	90
89 1/2	89 1/2	89 1/2	90 1/2
90	90	90	91
90 1/2	90 1/2	90 1/2	91 1/2
91	91	91	92
91 1/2	91 1/2	91 1/2	92 1/2
92	92	92	93
92 1/2	92 1/2	92 1/2	93 1/2
93	93	93	94
93 1/2	93 1/2	93 1/2	94 1/2
94	94	94	95
94 1/2	94 1/2	94 1/2	95 1/2
95	95	95	96
95 1/2	95 1/2	95 1/2	96 1/2
96	96	96	97
96 1/2	96 1/2	96 1/2	97 1/2
97	97	97	98
97 1/2	97 1/2	97 1/2	98 1/2
98	98	98	99
98 1/2	98 1/2	98 1/2	99 1/2
99	99	99	100
99 1/2	99 1/2	99 1/2	100 1/2
100	100	100	101
100 1/2	100 1/2	100 1/2	101 1/2
101	101	101	102
101 1/2	101 1/2	101 1/2	102 1/2
102	102	102	103
102 1/2	102 1/2	102 1/2	103 1/2
103	103	103	104
103 1/2	103 1/2	103 1/2	104 1/2
104	104	104	105
104 1/2	104 1/2	104 1/2	105 1/2
105	105	105	106
105 1/2	105 1/2	105 1/2	106 1/2
106	106	106	107
106 1/2	106 1/2	106 1/2	107 1/2
107	107	107	108
107 1/2	107 1/2	107 1/2	108 1/2
108	108	108	109

